

Built to last





the power of

Bekina Boots


NEOTANE®

THE ADVANCED FORMULATION **OF POLYURETHANE**

Bekina Boots made using **NEOTANE®** material have extraordinary features. They are light, insulating, comfortable and strong. They provide excellent protection against dirt and have an optimal chemical resistance. Today, we have a full range of **NEOTANE®** products. Depending on the sector you operate in, our R&D specialists developed the custom **NEOTANE®** recipe with the needs and requirements of your industry in mind, thus meeting the needs of its users.

Bekina Boots are 40% lighter than rubber or PVC boots, have a high insulation value and last three times longer. This is due to the excellent performance of our high-quality polyurethane material: **NEOTANE**[®].

- Sealed skin: strong and impermeable on the outside
- 2 Tiny air bubble structure: light and insulating
- 3 Self-regulating thermal process on the inside




INTENSIVELY TESTED IN OUR LAB














IMPACT TEST

SLIP RESISTANCE TEST

FLEXING RESISTANCE TEST

LIGHTWEIGHT

THERMO-INSULATING

BEKINA BOOTS **REBRANDING!**

A powerful brand is key to success. To make our product range easier to understand, we gave the naming of our boots a facelift! By simplifying the naming process, a boot now belongs to a particular family of boots, based on the combination of the name of the shaft with the name of the sole.





OVERVIEW PRODUCT RANGE WITH TABLE OF CONTENT

UNTIL 2019	AGRILITE/STEPLITE STEPLITE FOOD	AGRILITE DESINFECT	STEPLITE X	NEW.	NEW	NEW*	NEW.	STEPLITE XCi	THERMOLITE	LITEFIELD
AS FROM 2020	steplite EASYGRIP	steplite EASYCLEAN	stepliteX solidgrip	midliteX solidgrip	rigliteX (fur)	stepliteX stormgrip	stepliteX	stepliteX THERMOPROTEC	thermolite	LITEFIELD' Andrew State, on 1966
						0				1
 (04) = NO SAFETY (54) (55) = METAL (54) (55) = METAL-FREE 	04 S4 S5	64	Q4 S4 S5 S5	Q	\$55	O4 S5	<u>\$4</u>	\$4 \$5	<u>\$55</u>	64
COLOURS AVAILABLE					FUR / NON-FUR	• •			•	•
INSULATION VALUE	-20°C	-20°C	-30°C	-30°C	-30°C	-40°C	-30°C	-40°C	-50°C	-
SRC	✓		✓	*	*	≠	4	*	*	
RFID	✓	*	✓	*	*	≠	*	*	✓	✓
FITTING	standard	standard	wider	wider	wider	wider	wider	wider	standard	small
MORE INFO	p. 8	р. 9	р. 10	p. l l	p. 12	p. 13	p. 14	p. 15	р. 16	р. 16

steplite













EASYGRIP



previously: Agrilite







previously: Steplite Food (\$4) PAN3P/5353A



previously: Steplite Food **9** PAN1P/1053A (54) PAN3P/1053A

FEATURES

- lightweight
- standard fitting
- flexible material, even at low temperatures
- safety: steel toe cap (S4) / toe cap and midsole (S5) for optimal protection
- excellent grip, even on wet surfaces (SRC)
- resistant to fats, manure and a variety of chemicals
- · various colours available: colour coding
- · kick-off spur: get in and out of your boots with ease



previously: Steplite



previously: Steplite (SS) PAN4P/2080A





steplite

EASYCLEAN













previously: Agrilite Desinfect **64)** PAD1P/9180A

FEATURES

- lightweight, flexible material
- standard fitting
- flat sole: easy to clean and to disinfect
- resistant to fats, manure and a variety of chemicals
- kick-off spur: get in and out of your boots with ease



ALL OUR BOOTS WILL BE EQUIPPED WITH A RFID TAG IN THE COURSE OF 2020:

- ✓ Scan
- √ Identify
- ✓ Track and trace







steplite**X**

SOLIDGRIP











midliteX

SOLIDGRIP















previously: StepliteX

- **64** XAN1P/9180A
- \$5 XAN4P/9180A



previously: StepliteX (\$4) XAN3P/1053A

(\$4) XAN3P/9180A



previously: StepliteX \$5 XAN4P/2080A



METAL-FREE


previously: StepliteX - size range 37 > 48 S5 XAN9P/8080A

FEATURES

- robust, yet lightweight
- wide fitting
- · easy to clean and to disinfect
- safety: toe cap and/or midsole (\$4/\$5)
- extra high steel toe cap for optimal protection
- resistant to fats, manure and a variety of chemicals
- excellent grip, even on wet surfaces







rigliteX(fur)

SOLIDGRIP











steplite**X**

STORMGRIP











NEW: RigliteX SolidGrip (\$5) XRN4P/7080A



NEW: RigliteX fur SolidGrip (\$5) XFN4P/7080A

FEATURES

- ultralight quickfit boot with pull-on loops
- · available with or without winter lining
- kick-off spur: get out of your boots with ease
- 100% waterproof for warm and dry feet
- multipurpose, slip-resistant outsole: SRC certified
- steel toe cap and midsole for full safety (S5)
- · abrasion-resistant, deep treads for longer life
- * footbeds only in RigliteX SolidGrip model





NEW - available as from August 2020

64 XAS1P/5562Y

Size range: EU 36 • 49 UK 3.5 • 14

S5 XAS9P/5562Y

Size range: EU 37•48 UK 4•13

FEATURES

- · robust and lightweight
- wider fitting
- 100% waterproof
- · flexible material for increased comfort
- metal-free toe cap and midsole (S5): corrosion free
- excellent grip, even on a wet and greasy surface SRC certified
- yellow rubber pad for extreme slip resistance, extra wear resistance and soft cushioning
- side of the sole: closed rim to avoid net trapping
- resistant to fats, oils and a variety of chemicals



COMFORT AND SAFETY AT SEA

Working in professional fishing means working long hours on a boat. Fortunately, StepliteX StormGrip now keeps the crew safe, warm and dry!

StepliteX StormGrip offers superior grip on any surface in extreme conditions. Equipped with this boot, a fisherman always finds himself on solid ground, even on wet and slippery decks.







steplite**X**















THERMOPROTEC

steplite**X**









METAL-FREE





NEW - available end of 2020 (\$4) XAT3P/1053G

FEATURES

- · lightweight, wide fitting
- safety: steel toe cap (S4)
- · easy to clean and to disinfect
- · resistant to fats, oils, blood and a variety of chemicals

RUBBER TIGERGRIP OUTSOLE

- · extremely high anti-slip properties
- extra wear resistance
- soft cushioning
- unique shape and geometry of the cleats
- built-in canals which regulate the flow of water
- self cleaning sole profile







previously: StepliteXCi - NEW: black sole S5 XAC9P/9180A



previously: StepliteXCi S5 XAC9P/6253A

AVOID WORK-RELATED ACCIDENTS AND SAVE MONEY

15% of accidents at work in the food industry are caused by slipping, tripping and falling. StepliteX TigerGrip anti-slip boots are equipped with a rubber compound, combined with the shape and geometry of the treads, ensures extremely high anti-slip properties. Together with the built-in canals which regulate the flow of water in the sole, this ensures a very good grip of the TigerGrip sole on slippery surfaces.

FEATURES

- robust, yet lightweight
- flexible material for easy walking
- thick outsole: high insulation for extra warm feet (-40°C)
- metal-free top or/and sole (S4/S5): no corrosion
- · shock absorbing heel
- resistant to fats, manure and a variety of chemicals









TigerGrip sole with a unique sole profile. The unique composition of the rubber

thermolite

ICESHIELD











previously: Thermolite NEW: black sole, steel toe cap and midsole (S5)

(\$5) ZAN4P/9180A

FEATURES

- · flexible material, even at low temperatures
- thick outsole: high insulation for extra warm feet
- safety: steel toe cap and midsole for optimal protection (S5)
- strong grip
- shock absorbing heel
- resistant to fats, manure and a variety of chemicals





64 SAN1P/5170A

FEATURES

- stylish and elegant
- comfort: lightweight and flexible high shaft
- dry and fit feet
- shock absorbing heel



ergonomic footbeds





EU 36 • 49 **UK** 3.5 • 14 **US** 4 • 16

Wear resistant Antimicrobial treatment

Ref. BI01

Shock absorbing

insoles

Wear resistant

Antimicrobial treatment



EU 36 • 48 **UK** 3.5 • 13 **US** 4 • 15

Climate control Ergonomic fit Shock absorbing Heel cushioning effect

NEW PRODUCTCODES - EU

	JOC I CODES -	LO				
	UNTIL 2019	AS FROM 2020			CURRENT CODE	NEW CODE
			a		P2100/9180	PAN1P/9180A
			<u> </u>		P2100/1053	PAN1P/1053A
					P2300/9180	PAN3P/9180A
1.	AGRILITE/STEPLITE	stepl ite	(54)		P2300/1053	PAN3P/1053A
41	STEPLITE FOOD	EASYGRIP			P2300/5353	PAN3P/5353A
			(\$5)		P2400/9180	PAN4P/9180A
					P2400/2080	PAN4P/2080A
					P2400/8080	PAN4P/8080A
1	AGRILITE DESINFECT	steplite EASYCLEAN	(04)	•	V2100/9180	PAD1P/9180A
			(04)		X2100/9180	XAN1P/9180A
					X2300/9180	XAN3P/9180A
A	STEPLITE X	step lite X	<u>(\$4)</u>		X2300/1053	XAN3P/1053A
4 M	STEPLITE X	SOLIDGRIP	<u>(\$5)</u>		X2400/9180	XAN4P/9180A
					/	XAN4P/2080A
			SS		X2900/8080	XAN9P/8080A
VL.	NEW*	midliteX solidgrip	Q 4	•	1	XMN1P/9180A
1	NEW	rigliteX	(S5)	•	/	XRN4P/7080A
1	NEW	rigliteX fur	(S5)	•	/	XFN4P/7080A
A		stepl ite X	(04)		/	XAS1P/5562Y
	NEW*	STORMGRIP	<u>S5</u>		/	XAS9P/5562Y
		stepl ite X				
	NEW*	TICEP CRIP	S4)		/	XAT3P/1053G
(T)		stanlita V	54		XC800/1053	XAC8P/1053A
100	STEPLITE XCi	stepliteX THERMOPROTEC	S 5		XC900/9173	XAC9P/9180A
		INERMOPROTEC			XC900/6253	XAC9P/6253A
	THERMOLITE	thermolite	(\$5)	•	Z0400/9180	ZAN4P/9180A
1	LITEFIELD	LITEFIELD	(04)	•	S0100/5170	SAN1P/5170A







